

15.3 LOW DENSITY RESIDENTIAL – LARGE LOT (R2) ZONE

Explanatory Note: The R2 Zone applies to low density residential areas where lots are predominantly larger than those in the R1 Zone and often located on roads with a rural cross section. The intent of the R2 Zone is to permit a range of low density residential housing types to meet the needs of the residents of the city.

No person shall erect, or use any building in whole or in part, or use any land in whole or in part, within a Low Density Residential – Large Lot (R2) Zone for any purpose other than one or more of the following uses or uses accessory thereto. Such erection or use shall also comply with the prescribed regulations:

15.3.1 PERMITTED USES

Community Garden
Day Nursery
Duplex Dwelling
Fourplex Dwelling
Lodging House
Residential Care Facility
Retirement Home
Semi-Detached Dwelling
Single Detached Dwelling
Street Townhouse Dwelling
Triplex Dwelling
Urban Farm

15.3.2 REGULATIONS

15.3.2.1 SINGLE DETACHED, DUPLEX DWELLING, TRIPLEX DWELLING, DAY NURSERY, LODGING HOUSE, RESIDENTIAL CARE FACILITY AND RETIREMENT HOME REGULATIONS

- | | |
|--|----------------------|
| a) Minimum Lot Area | 630.0 square metres; |
| b) Minimum Lot Width | 18.0 metres; |
| c) Minimum Setback from the Front Lot Line | 4.0 metres; |
| d) Minimum Setback from a Side Lot Line | 2.0 metres |

SECTION 15: RESIDENTIAL ZONES

- | | |
|---|--|
| e) Minimum Setback from a Flankage Lot Line | 3.0 metres; |
| f) Minimum Setback from the Rear Lot Line | 7.5 metres; |
| g) Maximum Building Height | 10.5 metres; |
| h) Maximum Lot Coverage | 35% |
| i) Minimum Landscaped Area | i) 40%; |
| | ii) Within the landscaped area, the requirements of Section 4.35 of this By-law shall apply. |

15.3.2.2 SEMI-DETACHED DWELLING REGULATIONS

- | | |
|---|---|
| a) Minimum Lot Area for each Dwelling Unit | 315.0 square metres; |
| b) Minimum Lot Width for each Dwelling Unit | 9.0 metres; |
| c) Minimum Setback from the Front Lot Line | 4.0 metres; |
| d) Minimum Setback from a Side Lot Line | 2.0 metres, except for the side yard related to the common wall of the semi-detached dwelling unit, in which case a minimum 0 metre side yard shall be permitted. |
| e) Minimum Setback from a Flankage Lot Line | 3.0 metres; |
| f) Minimum Setback from the Rear Lot Line | 7.5 metres; |
| g) Maximum Building Height | 10.5 metres; |

SECTION 15: RESIDENTIAL ZONES

- | | |
|----------------------------|--|
| h) Minimum Landscaped Area | i) 35%; |
| | ii) Within the landscaped area, the requirements of Section 4.35 of this By-law shall apply. |

15.3.2.3 STREET TOWNHOUSE DWELLING REGULATIONS

- | | |
|--|---|
| a) Minimum Lot Area for each Dwelling Unit | 180.0 square metres for each dwelling unit. |
| b) Minimum Unit Width for each Dwelling Unit | 6.0 metres; |
| c) Minimum Setback from the Front Lot Line | 4.0 metres; |
| d) Minimum Setback from a Side Lot Line | 1.2 metres except for the side yard related to the common wall of the street townhouse dwelling unit, in which case a minimum 0 metre side yard shall be permitted. |
| e) Minimum Setback from a Flankage Lot Line | 3.0 metres; |
| f) Minimum Setback from the Rear Lot Line | 7.5 metres; |
| g) Maximum Building Height | 10.5 metres; |
| h) Landscaped Area | In accordance with the requirements of Section 4.35 a) and b) of this By-law. |

15.3.2.4 FOURPLEX DWELLING REGULATIONS

- | | |
|--|----------------------|
| a) Minimum Lot Area | 630.0 square metres; |
| b) Minimum Lot Width | 18 metres; |
| c) Minimum Setback from the Front Lot Line | 4.0 metres; |

SECTION 15: RESIDENTIAL ZONES

- | | |
|---|--|
| d) Minimum Setback from a Side Lot Line | 2 metres; |
| e) Minimum Setback from a Flankage Lot Line | 3.0 metres; |
| f) Minimum Setback from the Rear Lot Line | 7.5 metres; |
| g) Maximum Building Height | 10.5 metres; |
| h) Maximum Lot Coverage | 35%; |
| i) Minimum Landscaped Area | <ul style="list-style-type: none"> i) 40%; ii) Within the landscaped area, the requirements of Section 4.35 of this By-law shall apply. |
| j) Visual Barrier | <ul style="list-style-type: none"> i) A visual barrier shall be required along side lot lines and the rear lot line in accordance with the requirements of Section 4.19 of this By-law. ii) Notwithstanding Section 15.3.2.4 j) i), rear yard parking shall comply with the requirements of Section 4.35 d). |
| k) Amenity Area | Amenity areas shall not be permitted in the side yard or on the roof-top of the dwelling. |
| l) Waste Storage | Outdoor waste storage shall be fully enclosed and shall not be located in the front yard. |

(By-law No. 24-051, April 10, 2024)