

Appendix H

Agency and Public Comments and Responses

#	Agency/ Public	Contact Information	Comment	Response/Action
Agency				
A1	MECP	Joan Del Villar Cuicas (she/her) Regional Environmental Planner (A) Project Review Unit Environmental Assessment Branch Ontario Ministry of the Environment, Conservation and Parks Joan.delvillarcuicas@ontario.ca Phone: 365-889-1180	<u>Email Received on April 12, 2022:</u> Thank you for your email. Is there a notice of commencement for this project? Thanks, Joan <u>Email Received on April 21, 2022:</u> Thank you for the clarification. All the Class EA notices should be submitted to the generic email as per our protocol for providing Class EA notifications to MECP (please see attachment), however other communication can be sent to me directly. Please note upon the receiving of the commencement letter, MECP will provide the City with an acknowledgment letter that includes all MECP areas of interests and the Indigenous consultation list for this project. Based on the location of the proposed project, the following communities have been identified as potentially interested in the project: - Mississaugas of the Credit First Nation - Six Nations of the Grand River (Elected Council and Haudenosaunee Confederacy Chiefs Council with a copy to Haudenosaunee Development Institute) Below is the up-to-date contact information for each respective Indigenous community / organization identified for this project.	City's Email sent on April 12, 2022 by the City of Hamilton: (by Udo Ehrenberg, as Temporary Project Manager): We are writing to provide the MECP with an update to the above-referenced project in the subject line. Please find attached the spreadsheet that details the above Municipal Class EA. Should you have any questions please contact as follows. - Udo Ehrenberg (April 12 to 22) - Florentin Novac (After April 22) Sincerely, Udo <u>Email response sent on April 21, 2022 by the City of Hamilton:</u> Yes, there will be but we have not issued it yet. It will be issued in the Hamilton Spectator newspaper, mail outs to Agencies and properties in the Study Area will take place, and we will have a project webpage. We are also leveraging the Notice of Commencement communication by integrating our Notice of PIC # 1 into one document. I'm filling in as temporary project manager for the remainder of this week. Florentin Novac is the full-time project manager. Our consulting partners for this EA are IBI with Shelley Kuan as the PM. Shelley, can you please confirm that Joan is included on our Agency Mailing List? Thanks, Udo [NOTE: ARCADIS/IBI confirmed that Joan Del Villar Cuicas was included in the contact list]. No action is required. Noted.

#	Agency/ Public	Contact Information	Comment	Response/Action
			Regards, Joan Del Villar Cuicas (she/her) Six Nations of the Grand River Lonny C. Bomberry Director, Lands and Resources Six Nations of the Grand River 2498 Chiefswood Road PO Box 5000 Ohsweken, ON N0A 1M0 lonnybomberry@sixnations.ca Robbin Vanstone, Consultation Supervisor rvanstone@sixnations.ca Haudenosaunee Confederacy Chiefs Council Hohahes Leroy Hill – Council Secretary 2634 Sixth Line Road, RR#2 Ohsweken, ON N0A 1M0 jocko@sixnationsns.com Mississaugas of the Credit First Nation Mark Laforme Director, Department of Consultation & Accommodation Mississaugas of the Credit First Nation 4065 Hwy 6 Hagersville, ON N0A 1H0 905-768-4260 Mark.LaForme@mncfn.ca Haudenosaunee Development Institute 16 Sunrise Court, Suite 600 P.O. Box 714 Ohsweken, Ontario N0A 1M0 Phone: 519-445-4222 Fax: 519-445-2389 E-mail: info@hdi.land	
			<u>Email Received by Aracdis/IBI on April 29, 2022</u> Good morning Shelley, Thank you for circulating the Notice of Commencement for the Hamilton Main and Whitney (HD17A) WPS Class EA. Please provide a project information form for this project. Please see attachment for instructions how on to submit the form.	<u>Email response sent by the City of Hamilton on April 29, 2022</u> Good morning, Joan: My name is Florentin Novac and I am the PM for this project on the City side for the subject Class EA. I was away in the last few weeks and my supervisor and project sponsor, Udo Ehrenberg, filled in for me. It is my understanding that he has provided the project information in the required format (please

#	Agency/ Public	Contact Information	Comment	Response/Action
			Regards, Joan Del Villar Cuicas	see the attached email dated April 12, 2022). You have kindly provided the information on Indigenous Communities Udo has requested (also attached) so, yesterday, we were able to email them the Notice of Study commencement and PIC No. 1. I have attached these emails to document the correspondence exchanged in the recent past between the City and the MECP/WC Region and to facilitate the connection between Udo’s project and Shelley’s project, which both represent the same Class EA. Please let me know if there are any other MECP requirements we would need to satisfy in relation to this undertaking. Thank you very much, Florentin
			<u>Response received by the City on April 29, 2022 10:36 AM:</u> Good morning Florentin, Nice to virtually meet you. I apologize for requesting the Project Information form twice. There aren’t any other MECP requirements that you would need to satisfy in relation to this undertaking at this time. Sorry for the confusion, Regards, Joan Del Villar Cuicas <u>Response received by the city on April 29, 2022 11:59 AM:</u> Please find attached MECP’s Letter of Acknowledgement and attachments in response to the Notice of Commencement for the City of Hamilton, Municipal Class EA, Schedule B for the Main & Whitney (HD17A) Water Pumping Station. Please do not hesitate to contact me if you have any questions. Regards, Joan Del Villar Cuicas	Noted. A draft copy of the report should be sent directly to Joan Del Villar Cuicas of MECP prior to the filing of the final report, allowing a minimum of 30 days for the ministry’s technical reviewers to provide comments. A copy of the final notice is sent to the Ministry’s West Central Region EA notification email account (eanotification.wcregion@ontario.ca) after the draft report is reviewed and finalized.
				<u>A draft Project File Report provided by the City on June 1, 2026</u> Hello Joan, Please note that I am now serving as the project manager for this initiative, taking over from Florentin Novac, who has recently retired from the City. As per MECP requirements, the City of Hamilton is submitting the draft Project File for the Municipal Class Environmental Assessment (EA) and Conceptual Design for the Main & Whitney (HD17A) Water Pumping Station. We kindly request the Ministry's review and comments on the document as soon as possible and preferably by Monday, June 22, 2026 You can access the report by following the link below: [SYNC Folder Link:Draft HD17A WPS Class EA Project File Report Sync.com] If you have any questions, please feel free to contact us. Thank you. Udo

#	Agency/ Public	Contact Information	Comment	Response/Action
			<u>Response received by the City on June 30, 2026 11:35 AM:</u> Good morning, Thank you for circulating the Draft Project File Report for the City’s Main and Whitney (HD17A) WPS Class EA. Please see below MECP’s comments for your consideration: 1. The <i>Provincial Policy Statement (2020)</i> and <i>A Place to Grow: Growth Plan for the Greater Golden Horseshoe</i> have been replaced by the <i>Provincial Planning Statement (2024)</i>. Section 3 – <i>Planning Context</i> should be updated accordingly. 2. The report indicates that indirect adverse impacts related to construction vibrations are possible, given the presence of gravestones within 50 m of the proposed work area, and that these impacts are expected to be limited in magnitude and temporary in duration. However, it does not appear that the main body of the report includes information regarding consultation with White Chapel Memorial Gardens Cemetery, nor does it clearly document engagement with potentially affected stakeholders. It is recommended that the report be updated to include a summary of consultation undertaken with potentially impacted communities, including White Chapel Memorial Gardens Cemetery, within the main text. Additionally, copies of relevant correspondence should be included in the appendix to clearly document these interactions. 3. Please note that, due to current high-priority workload demands, we are unable to provide additional technical comments at this time. Any further technical comments will be provided during the Notice of Completion comment period. Please let me know if you have any questions. Regards, Joan Del Villar Cuicas (she/her)	<u>Email response sent by the City of Hamilton on July 14, 2026</u> Hi Joan, Thank you for your email. The project team will review the comments and incorporate them into the Final Project File Report. Heli Xu ----- <u>Email regarding Notice of Study Completion and responses to MECP comments on the draft Project File Report sent by the City of Hamilton on August 27, 2026</u> Hi Joan, I am Heli Xu, the City’s Alternative Project Manager, supporting Udo Ehrenberg on this project. The City of Hamilton has completed a Municipal Class Environmental Assessment for a new pumping station to replace the existing Main Street & Whitney Avenue (Main & Whitney, HD17A) Water Pumping Station. Attached is the Notice of Study Completion. Also attached are our responses to comments from the Ministry of the Environment, Conservation and Parks (MECP) on the draft Project File Report. The Final Project File Report is available for public review on the project website during the Notice of Study Completion comment period at: www.hamilton.ca/mainwhitneystationea If you have any questions or comments, please contact me or Udo. Thank you. Heli Xu ----- <u>Email responses to MECP comments on the draft Project File Report by the City of Hamilton sent by the City on August 27, 2026:</u> Thank you for providing comments on June 30, 2026, regarding the Draft Project File Report for the City’s Main & Whitney (HD17A) WPS Municipal Class EA. The MECP comments have been incorporated into the Final Project File Report, as summarized below: • The Provincial Planning Statement (2024) has been incorporated, and Section 3 – Planning Context has been updated accordingly in the Final Project File Report. • Stakeholders potentially affected by the preferred alternative (Site 6), including White Chapel Memorial Gardens Cemetery, were contacted via regular mail, registered mail, and follow-up telephone calls. Supporting documentation is provided in the “Kitchen Table Meeting” subsection of Section 7.5 and in Appendices J and M of both the Draft and Final Project File Report. • Our project team will continue to apply a similar approach to “Kitchen Table Meeting” consultation, including the distribution of the Notice of Study Completion by mail and follow-up telephone calls to notify the potentially affected stakeholders. The Final Project File Report will be available for review on the project’s website at www.hamilton.ca/mainwhitneystationea during the Notice of Study

#	Agency/ Public	Contact Information	Comment	Response/Action
				Completion comment period. If you have any further technical comments or concerns regarding the outcome of the project, please contact the undersigned. Yours truly, Heli Xu Cc: • Ministry’s West Central Region EA notification (eanotification.wcregion@ontario.ca), MECP • Katy Potter, Supervisor, Environmental Assessment Services, MECP • Sarah Day, Issues Project Coordinator, Hamilton District Office, MECP • Marco Mazzuca, MECP • Udo Ehrenberg, Senior Project Manager, Water Planning, City of Hamilton • Gabriela Caterini, Water & Wastewater Systems Planning, City of Hamilton • Shelley Kuan, Project Manager, Arcadis Professional Services (Canada) Inc. •Loren Polonsky, Public Facilitator and Class EA Planner, Arcadis Professional Services (Canada) Inc. Enclosure: Notice of Study Completion and Public Review Period  HD17A WPS EA_MECP_Notice of Study Completion and Comment Response.pdf .pdf File  HD17A WPS EA_Notice of Study Completion and Public Review Period.pdf .pdf File
A2	NAV Canada	Diane Levesque Land Use Utilisation des terrains NAV CANADA Diane.Levesque@navcanada.ca 1601 Tom Roberts avenue, Ottawa, ON K1V 1E5 T. 613-936-5135 Land Use AERONAUTICAL INFORMATION MANAGEMENT (AIM) landuse@navcanada.ca www.navcanada.ca	<u>Email received by the City on April 28, 2022</u> Transport Canada is the Federal regulatory body that evaluates obstacles via the Aeronautical Assessment Form for Obstruction Marking and Lighting, primarily for issues regarding tower-obstacle-building lighting, painting-marking requirements and airport zoning restrictions. Transport Canada and NAV CANADA share information for the protection of the Air Navigation System. NAV CANADA owns Canada’s Air Navigation System. The Land Use evaluation process determines any potential impacts that may affect the safety of the Air Navigation System from various proposals. Please complete a Land Use submission for your project. We would also need a map depicting the location of the project. Here is a link to the NAV CANADA Land Use webpage. https://www.navcanada.ca/en/products-and-services/Pages/land-use-program.aspx Thank you.	<u>Email response sent by Arcadis/IBI on May 2, 2022</u> Hi Diane, Thanks for your information. Once the alternative locations for the new pumping station are identified, a location map along with other documents will be provided for the NAV Canada to review and comment. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan
			<u>Email received by the City on August 19, 2026</u> Hello We have reviewed your submission, and NAV CANADA cannot complete an assessment at this time as the information provided lacks actionable data. Therefore, this file has been formally closed.	<u>Email response sent by Arcadis on August 25, 2026</u> Good Day, Thank you for your email confirming that NAV CANADA’s file for the above-noted project has been closed. We are writing to request that the file be reactivated.

#	Agency/ Public	Contact Information	Comment	Response/Action
			For planning purposes, we suggest reviewing and adhering to Transport Canada's TP1247E , Land Use in the Vicinity of Aerodromes and ICAO EUR DOC 015 , building restricted areas. These documents are Land Use guidelines outlining specific protection requirements and restrictions. Furthermore, designation of residential zones should take into consideration future noise issues concerning air traffic. To assist us in ensuring that future development projects do not adversely affect Air Navigation and related facilities, we ask that a Land Use Submission Proposal be submitted to NAV CANADA using our Land Use Web Submission Portal, allowing at least 30 working days for evaluation when proposed object data is known. An explanation of the Land Use program can be obtained from the following website link: NAV CANADA Land Use Program . Kind regards,	--- As the project has now reached the Notice of Completion stage, we would appreciate the opportunity to provide NAV CANADA with the Notice of Completion and to confirm whether there are any final comments. Could you please reopen or reactivate the file for this purpose? Thank you. Shelley Kuan  HD17A WPS_EA_Short-listed Alternatives.pdf .pdf File <See Appendix K- A2 for our letter (dated August 25, 2026)>
			<u>Email received by the Arcadis on August 25, 2026</u> Hello, To reopen this project, please provide a new submission via the Land Use portal. As of August 2025, all proposals to Land Use are processed via the portal and must include the specific coordinates and building data. This ensures that all relevant project data is captured and readable by our system. Once the data is received, we can begin an assessment of the current project. Regards, NAV Canada	Reassess and submit through NAV Canda Land Use Portal during detailed design, if required once building data are available.
A3	Enbridge	Sarah Taylor Sr. Analyst, Lands & ROW ENBRIDGE , TEL 780-392-4765 CELL 403-650-2157 FAX 780-392-4059 EMAIL sarah.taylor@enbridge.com 10175 101 St NW, Edmonton, Alberta T5J 0H3 Mail/Couriers: Suite 330, 10180 - 101 Street, Edmonton, AB T5J 3S4, Canada Post: PO Box 398, Edmonton, AB T5J 2J9 Landowners: TEL 1-800-668-2951 LandContactCAN@enbridge.com ,	<u>Email received by Arcadis/IBI on May 2, 2022</u> Please remove me from the mailing list. All referrals can go to notifications@enbridge.com Sarah Taylor	<u>Email response sent by Arcadis/IBI on May 2, 2022</u> Hi Sarah, Thanks for your information. We will remove you from the mailing list and all referrals will go to notifications@enbridge.com for the project. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan [Note: Arcadis/IBI also sent the notice to notifications@enbridge.com on April 27,2023]. Update the contact accordingly.

#	Agency/ Public	Contact Information	Comment	Response/Action
		Enbridge.com Safety. Integrity. Respect. Inclusion		
		Derek Heavens Advisor, Construction & Project Management Construction and Growth ENBRIDGE TEL: 289-649-2030 Ext 5213020 dheavens@uniongas.com 918 South Service Rd, Stoney Creek, Ontario, L8E 5M4 enbridge.com Safety. Integrity. Respect. Inclusion	<u>Email received by the City on May 6, 2022</u> Hi Shelley/Florentin, I was forwarded your email below. If you need any information on gas mains in the area, or if there are potential conflicts with your proposed pumping station location, please let me know and I can try to assist. Thanks.	<u>Email response sent by Arcadis/IBI on May 6, 2022</u> Good morning Derek, Thanks for your information. We will let you know if we any information on gas mains for this Class EA project. Thank you. Shelley Kuan
		Merv Weishar, SRWA Sr. Land Advisor Lands & Right-of-Way, Eastern Canada TEL: 519-436-4600 ext5002644 CELL: 519-350-6452 FAX: 519-436-5353 merv.weishar@enbridge.com 50 Keil Drive, North, Chatham, Ontario N7M 5M1 Landowners: TEL 1-800-668-2951 LandContactCAN@enbridge.com	<u>Email received by the City on May 2, 2022</u> Good afternoon Kelly, Thank you for the sending the attached notice for comment. Could you please update your mailing list for all future notices of this type by adding Nick Klip, Manager of Operations Nick.Klip@enbridge.com for the Hamilton and Area and remove mine, as I am based out of Chatham. Thank you. Merv Weishar	<u>Email response sent by Arcadis/IBI on May 2, 2022</u> Hi Merv, Thanks for your information. We will remove your contact from the mailing list and all referrals will go to Nick.Klip@enbridge.com for the project. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan [NOTE: Merv forwarded the Notice to Nick Klip]. No action is required. Update the contact list accordingly.
A4	NDMNRF	Kristen Wagner, B.Sc. District Planner Ministry of Northern Development, Mines, Natural Resources and Forestry (NDMNRF) Pembroke District (613) 504-2254 kristen.wagner@ontario.ca	<u>Email received by the City on Monday, May 2, 2022</u> Please find attached NDMNRF's comments on the above-noted project. If you have any questions, please do not hesitate to contact me. Thanks Kristen	<u>Email response sent by Arcadis/IBI on May 2, 2022</u> Thank you, Kristen, for your guidance in completing this Class EA and I will forward this information to our consulting firm for their actions. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan [NOTE: NDMNRF's Email forwarded to LGL on May 02, 2022]

#	Agency/ Public	Contact Information	Comment	Response/Action
A5	Metrolinx	Antoine Belaieff Antoine.Belaieff@metrolinx.com Director of Regional Planning [Arcadis/IBI note: no detailed contact information was provided from Antoine response email]	<u>Received automatic reply email on May 6, 2022</u> Please note that November 6 was my last day at Metrolinx. For fare and service integration, please contact Larissa England at larissa.england@metrolinx.com. For Customer Experience, please contact Carol Smiciklas at carol.smiciklas@metrolinx.com. For all other enquiries, please contact Lynn D'Souza at lynn.dsouza@metrolinx.com.	<u>Email response sent by Arcadis/IBI on May 25, 2022</u> Good morning, Antoine, Thank you very much for your information. Please feel free to contact us if you have any questions. Best Regards, Shelley Kuan [NOTE: Contact Larissa England at larissa.england@metrolinx.com after November 6, 2022]
A6	HCA	Mike Stone MA, MCIP, RPP Manager, Watershed Planning Services Hamilton Conservation Authority 838 Mineral Springs Road, P.O. Box 81067, Ancaster (Hamilton), Ontario L9G 4X1 T: 905.525.2181 ext. 133 E: mike.stone@conservationhamilton.ca W: www.conservationhamilton.ca	<u>Email received by Arcadis/IBI on May 10, 2022</u> Hi Shelly, Thank you for your email and providing the Notice of Study Commencement. We will review the PIC materials once available on the City website and provide any preliminary comments that may be appropriate. Kind regards. Mike	<u>Email response sent by Arcadis/IBI on May 10, 2022</u> Good afternoon Mike. Thanks for your information. Shelley Kuan
A7	Transport Canada	[Reply email from:] ONT Environment / Environnement ONT <EnviroOnt@tc.gc.ca> Environmental Assessment Program, Ontario Region Transport Canada / Government of Canada / 4900 Yonge St., Toronto, ON M2N 6A5 EnviroOnt@tc.gc.ca / Facsimile : (416) 952-0514 / TTY: 1-888- 675-6863 Programme d'évaluation environnementale, Région de l'Ontario Transports Canada / Gouvernement du Canada /	<u>Email received by the City on May 16, 2022</u> Greetings, Thank you for your correspondence. Please note Transport Canada does not require receipt of all individual or Class EA related notifications. We are requesting project proponents self-assess if their project: 1. Will interact with a federal property and/or waterway by reviewing the Directory of Federal Real Property, available at www.tbs-sct.gc.ca/dfrp-rbif/; and 2. Will require approval and/or authorization under any Acts administered by Transport Canada* available at http://www.tc.gc.ca/eng/acts-regulations/menu.htm. Projects that will occur on federal property prior to exercising a power, performing a function or duty in relation to that project, will be subject to a determination of the likelihood of significant adverse environmental effects, per Section 82 of the Impact Assessment Act, 2019.	<u>Email response sent by Arcadis/IBI on May 25, 2022</u> Good afternoon, Thank you for your interest in the study. We will perform our self-assess once the preferred location is selected for a new water pumping station for PD17. The Environmental Assessment program will be included in any further correspondence if our Project will interact with a federal property/or waterway. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan

#	Agency/ Public	Contact Information	Comment	Response/Action
		4900, rue Yonge, Toronto, ON, M2N 6A5 EnviroOnt@tc.gc.ca / télécopieur: (416) 952-0514	If the aforementioned does not apply, the Environmental Assessment program should not be included in any further correspondence and future notifications will not receive a response. If there is a role under the program, correspondence should be forwarded electronically to: EnviroOnt@tc.gc.ca with a brief description of Transport Canada’s expected role. *Below is a summary of the most common Acts that have applied to projects in an Environmental Assessment context: - Canadian Navigable Waters Act (CNWA) – the Act applies primarily to works constructed or placed in, on, over, under, through, or across navigable waters set out under the Act. The Navigation Protection Program administers the CNWA through the review and authorization of works affecting navigable waters. Information about the Program, CNWA and approval process is available at: http://www.tc.gc.ca/eng/programs-621.html. Enquiries can be directed to NPPONT-PPNONT@tc.gc.ca or by calling (519) 383-1863. - Railway Safety Act (RSA) – the Act provides the regulatory framework for railway safety, security, and some of the environmental impacts of railway operations in Canada. The Rail Safety Program develops and enforces regulations, rules, standards and procedures governing safe railway operations. Additional information about the Program is available at: https://www.tc.gc.ca/eng/railsafety/menu.htm. Enquiries can be directed to RailSafety@tc.gc.ca or by calling (613) 998-2985. - Transportation of Dangerous Goods Act (TDGA) – the transportation of dangerous goods by air, marine, rail and road is regulated under the TDGA. Transport Canada, based on risks, develops safety standards and regulations, provides oversight and gives expert advice on dangerous goods to promote public safety. Additional information about the transportation of dangerous goods is available at: https://www.tc.gc.ca/eng/tdg/safety-menu.htm. Enquiries can be directed to TDG-TMDOntario@tc.gc.ca or by calling (416) 973-1868. - Aeronautics Act – Transport Canada has sole jurisdiction over aeronautics, which includes aerodromes and all related buildings or services used for aviation purposes. Aviation safety in Canada is regulated under this Act and the Canadian Aviation Regulations (CARs). Elevated Structures, such as wind turbines and communication towers, would be examples of projects that must be assessed for lighting and marking requirements in accordance with the CARs. Transport Canada also has an interest in projects that have the potential to cause interference between wildlife and aviation activities. One example would be waste facilities, which may attract birds into commercial and recreational flight paths. The Land Use In The	

Main & Whitney (HD17A) Water Pumping Station Municipal Class Environmental Assessment and Conceptual Design <i>Note: Comments are reproduced verbatim including typos and/or grammatical errors</i>				Public and Agency Communications Tracking Log Tracking Log Last Updated: September 8, 2026	
#	Agency/ Public	Contact Information	Comment	Response/Action	
			Vicinity of Aerodromes publication recommends guidelines for and uses in the vicinity of aerodromes, available at: https://www.tc.gc.ca/eng/civilaviation/publications/tp1247-menu-1418.htm . Enquires can be directed to tc.aviationservicesont-servicesaviationont.tc@tc.gc.ca or by calling 1 (800) 305-2059 / (416) 952-0230. Please advise if additional information is needed. Thank you. Environmental Assessment Program , Ontario Region		
A8	IAAC	Email on May 24, 2022 is Kim of IAAC ontarioregion-regiondontario@iaac-aeic.gc.ca Attached Correspondents (May 2, 2022) was from Anjala Puvananathan Director, Ontario Region iaac.ontarioregion-regiondontario.aeic@canada.ca . Impact Assessment Agency of Canada Ontario Region 600-55 York Street Toronto ON M5J 1R7	<u>Email received by the City on May 24, 2022</u> Hello Shelley, Please see attached response to your May 2, 2022, correspondents. Kind regards, Kim -----  Letter from IAAC to City of Hamilton - W <See Appendix K- A8 for the response letter from IAAC (dated April 17, 2023)>	<u>Email response sent by Arcadis/IBI on May 25, 2022</u> Good morning Kim/Anjala, Thank you very much for your information. If there is a change in the Project, the Agency will be contacted to discuss these changes and the implications on the applicability of the IAA. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan	
A9	MHSTCI	Ministry of Heritage, Sport, Tourism and Culture Industries Programs and Services Branch 400 University Ave, 5th Flr Toronto, ON M7A 2R9 Dan Minkin Heritage Planner Dan.Minkin@Ontario.ca Tel: 416.786.7553 ----- Karla Barboza , RPP, MCIP, CAHP Team Lead, Heritage Heritage Planning Unit Ministry of Citizenship and Multiculturalism 416-660-1027 karla.barboza@ontario.ca	<u>Email received by Arcadis/IBI on June 6, 2022 (MHSTCI 0016531)</u> Good afternoon, Please see attached, with apologies for the delay. Sincerely Dan.Minkin@Ontario.ca Copied to: Shelley Kuan, IBI Group <see Appendix K-A9 for the response letter from MHSTCI (dated June 6, 2022)> ----- <u>Email received by ASI on June 6, 2022 and December 5, 2022 (Cc to Arcadi/IBI and the City)</u> Hi John, Hope this email finds you well.	<u>Email response sent by Arcadis/IBI on June 10, 2022</u> Thank you for your interest in the study. We will submit any technical cultural heritage studies (e.g., Cultural Heritage Assessment Report, Cultural Heritage Evaluation Report, Heritage Impact Assessment) required for your review as part of the EA process. We have ensured that you are on our project contact list and will be included in any future project notifications. If you have any further questions regarding this project, please do not hesitate to contact us. Thank you, Shelley Kuan -----	

#	Agency/ Public	Contact Information	Comment	Response/Action
		on behalf of; Registrar (MTCS) <Registrar@ontario.ca>	As you may know, the Ministry of Heritage, Sport, Tourism and Culture Industries (MHSTCI) developed screening checklists to assist property owners, developers, consultants and others to identify known and potential cultural heritage resources: · Criteria for Evaluating Archaeological Potential · Criteria for Evaluating Marine Archaeological Potential · Criteria for Evaluating Potential for Built Heritage Resources and Cultural Heritage Landscapes I have used the document above (Built Heritage and Cultural Heritage Landscapes) in order to respond to your question: • Question 3a. i. Is the property (or project area) identified, designated or otherwise protected under the Ontario Heritage Act as being of cultural heritage value e.g. a property that is designated by order of the Minister of Heritage, Sport, Tourism and Culture Industries as being of cultural heritage value or interest of provincial significance [s.34.5]? <i>MHSTCI Response:</i> To date, no properties have been designated by the Minister. • Question 3a.v. Is the property (or project area) identified, designated or otherwise protected under the Ontario Heritage Act as being of cultural heritage value included in the Ministry of Heritage, Sport, Tourism and Culture Industries' list of provincial heritage properties? <i>MHSTCI Response:</i> At this time, MHSTCI is not aware of any provincial heritage properties within or adjacent to the study area. Please note that if the subject lands or parts of the subject lands are owned or controlled by an Ontario Ministry or Prescribed Public Body (PPB) on behalf of the Crown (the list of PPBs is available as O. Reg. 157/10), a Ministry or PPB may have responsibilities under the Standards and Guidelines for Conservation of Provincial Heritage Properties. MHSTCI would appreciate if any technical cultural heritage studies (e.g. Cultural Heritage Assessment Report, Cultural Heritage Evaluation Report, Heritage Impact Assessment) be sent for our review as part of the EA process. I hope this helps. Let me know if you have any question. Have a great weekend, Karla ----- Email received by ASI December 5, 2022 Hi John, Just confirming that no properties have been designated by the Minister. At this time, MCM is not aware of any provincial heritage properties within or adjacent to the revised study area. -----	----- <u>Cultural Heritage Report submitted via email by Arcadis/IBI (cc John Sleath of ASI) on November 20, 2023</u> Good afternoon Dan/Karla, Enclosed please find a copy of the final Cultural Heritage Report (as prepared by ASI- dated Oct 20, 2023) for the above Study (MHSTCI File 0016531).

#	Agency/ Public	Contact Information	Comment	Response/Action
			<u>Email received by Arcadis/IBI on November 21, 2023</u> Good morning Shelley, Thanks for sending the Cultural Heritage Report for the above-referenced project to the Ministry of Citizenship and Multiculturalism (MCM). We will review it and provide comments, as appropriate, by late December. Our records indicate that a Stage 1 archaeological assessment (under Project Information Form number P1066-0330-2022) has been initiated for this project. We recommend that the licensed archaeologist submit the report prior to the issuance of the notice of completion. Thanks again, Karla ----- <u>Email received by ASI December 14, 2023</u> Good morning, Thank you for sending the Cultural Heritage Report for the above-mentioned project to the Ministry of Citizenship and Multiculturalism (MCM). Please find MCM's comments attached. Please do not hesitate to contact us if you have any questions. Best Regards, Liam Smythe Feedback on Cultural Heritage Report from MCM on December 14, 2023 as shown below: one Cultural Heritage Landscape (CHL 7) is adjacent to the preferred site alternative. No direct, adverse impacts to CHL 7 anticipated. Construction activities and staging should be planned and undertaken to avoid any unintended impacts to identified Built Heritage Resources and Cultural Heritage Landscapes. Baseline vibration monitoring should be undertaken for CHL 7 during detailed design and should any structures or potential heritage attributes be subject to vibration, a vibration monitoring plan should be prepared and implemented during the detailed design phase. It is recommended in the Cultural Heritage Report that the report also be submitted to heritage planning staff at the City of Hamilton for review and comment. It is recommended in the Cultural Heritage Report that the report also be submitted to heritage planning staff at the City of Hamilton for review and comment.	Please feel free to contact us if you have any questions. Thank you, Shelley Kuan  MHSTCI File 0016531_21CH-115 Main and Whitney WPS CH Report EC_IA_FINAL_20Oct2023.pdf .pdf File ▼ See Appendix K- A9 for the Arcadis/IBI email to MCM (dated Nov 20, 2023) ----- <u>Email response sent by Arcadis/IBI on December 17, 2023</u> Hi Liam, Thank you for the confirmation that the final Cultural Heritage Report (as prepared by ASI - dated Oct 20, 2023) for the above Study (MHSTCI File 0016531) is complete and compliant with MCM's requirements. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan ----- Noted: Construction activities and staging should be planned and undertaken to avoid any unintended impacts to identified Built Heritage Resources and Cultural Heritage Landscapes. Noted. A vibration monitoring plan should be prepared and implemented during the detailed design phase. <u>Cultural Heritage report prepared by ASI (dated July 20, 2023) submitted to City via email by Arcadis/IBI on July 27, 2023</u> <u>Email received by Arcadis/IBI for the City response of Cultural Heritage Report on August 4, 2023</u> Hi Shelley – we've had a chance to review the revised Cultural Heritage Report and have no further comments or concerns. Thanks again, Alissa Golden See Appendix K- A9 for the City email (dated August 4, 2023).

#	Agency/ Public	Contact Information	Comment	Response/Action
			We have reviewed the Cultural Heritage Report referenced above and find that the report overall is consistent with the requirements, guidance and standards of the Municipal Class Environmental Assessment and with best practice guidance prepared by MCM. Hope this is of assistance. Regards, Karla  2023-12-14_MainWhitneyCHR_MCMComments.pdf 206 KB See Appendix K- A9 for the response letter of Cultural Heritage Report to Arcadis/IBI (dated December 14, 2023). ----- <u>Email received by ASI for the response of Stage-1 AA Report on October 12, 2024</u> Dear Jessica Lytle, The ministry has screened the project report package for P1066-0330-2022 that you submitted on Sep 27, 2024 for completeness. The package is complete and the report is now considered 'filed' with the ministry. Next, we will either add it to our queue to be reviewed or enter it into the register without technical review. Please do not reply to this e-mail. The message will be undeliverable, and we are unable to respond from this address. If you have any questions about this report email us at: Archaeology@ontario.ca Thank you, Teresa Tremblay Teresa.Tremblay@ontario.ca See Appendix K- A9 for the email response of Stage-1 AA (dated October 12, 2024).	----- <u>Stage-1 AA submitted via email by ASI on September 27, 2024</u> As of May 7, 2026, MCM indicates that the report is still awaiting review and has not yet been confirmed as entered into the register. The MCM estimated review date is December 2, 2026. Follow up with MCM regarding the status of the review letter and confirm that the Stage 1 archaeological assessment has been entered into the register before issuing a decision or proceeding with ground-disturbing activities.

#	Agency/ Public	Contact Information	Comment	Response/Action
A10	TCEnergy	Jenna Brewer Integrated Land-use Management Right-of-Way Management and Project Support Technical Services – Canadian Gas Operations Jenna_Brewer@tcenergy.com 450 – 1st Street SW Calgary, AB Canada T2P 5H1 www.TCEnergy.com	<u>Email received by the City on June 10, 2022</u> Hello Florentin, My name is Jenna Brewer and I am from the Integrated Land-use Management team at TC Energy. TC Energy was recently made aware of the attached industry notification. A review of the included map determined that the study area is in proximity to TC Energy pipelines. If as part of your project you will be causing ground disturbance within 30m, please obtain written consent from TC Energy. Written consent can be obtained using our online third party crossings tool . Thank you, Jenna Brewer	<u>Email response sent by Arcadis/IBI on June 14, 2022</u> Good afternoon Jenna, Thank you very much for the information. At this time the alternative locations for the new pumping station have not been selected, however the Project Team acknowledges that the project may cause ground disturbance. Should the selected alternative locations cause ground disturbance within 30m to TC Energy pipelines, we will obtain the written consent required using your online third part crossings tool. Please feel free to contact us if you have any additional questions regarding the study. Thank you, Shelley Kuan
		----- TransCanada PipeLines Ltd. (TCPL) Aleksandra Skrzat, BA Planner MHBC Planning, Urban Design & Landscape Architecture On behalf of TransCanada PipeLines Ltd. (TCPL) 442 Brant Street, Suite 204 Burlington ON L7R 2G4 T 905 639 8686 x 224 C 905 746 1128 tcenergy@mhbcplan.co m T 905-639-8686 F 905-761-5589 www.MHBCPLAN.COM	<u>Email received by the City on May 15, 2023</u> Good afternoon Florentin, On behalf of TransCanada PipeLines Ltd. (TCPL), please be advised that TCPL has one high-pressure natural gas pipeline contained within an easement crossing the study area. Please see attached response letter for this study. Please kindly subscribe TCEnergy@mhbcplan.com to the notification list for this study. Kind regards, Aleksandra Skrzat  50192 TCPL Response Letter EA See Appendix K- A10 for the Response letter from TCPL (dated May 15, 2023)	<u>Email response sent by the City on May 16, 2023</u> Good morning, Aleksandra: Thank you very much for your response. A formal acknowledgement will be provided shortly by our consultant, Arcadis/IBI Group. Best regards, Florentin <u>Email response sent on June 14, 2022 by Arcadis/IBI</u> Good afternoon Aleksandra: Thank you very much for the information. The project team acknowledges that TransCanada PipeLines Ltd. (TCPL) has one high-pressure natural gas pipeline contained within an easement crossing the study area. The general TCPL requirements provided will be taken into consideration while evaluating alternatives. The project team will request the GIS Shapefiles of TCPL’s prescribed area throughout the study area, when and if appropriate. TCEnergy@mhbcplan.com has been added to the notification list for this study. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan
A11	Indigenous and Northern Affairs Canada	Vienna Watt Single Window – Consultation and Accommodation Unit indigenous.consultations.autoch tones@rcaanc-cirnac.gc.ca	<u>Email received by the City on June 3, 2022</u> Thank you for your correspondence. Are there specific questions you have for us related to this project? Generally, we encourage consultation practitioners to visit the Aboriginal and Treaty Rights Information System (ATRIS) to begin their research regarding who they may consult with. ATRIS is a web-based, geographic information system intended to help users identify the location of Indigenous groups and providing users with information pertaining to each group’s established or asserted rights. ATRIS	<u>Email response sent by Arcadis/IBI on June 10, 2022</u> Good afternoon Vienna, Thank you very much for the information. The Project Team has no specific questions at this time. Thank you, Shelley Kuan

#	Agency/ Public	Contact Information	Comment	Response/Action
			provides access to narrative records, documents and maps that can be used to assist governments, industry and other interested parties in determining their consultation obligations and in carrying out their consultation research. I invite you to visit the ATRIS web page at: https://www.rcaanc-cirnac.gc.ca/eng/1100100014686/1609421785838. We regularly host free webinars to provide an overview of ATRIS and its key functions. If you require additional information about ATRIS or if you require more specific consultation information related to your project, please contact the Consultation and Accommodation Unit at indigenous.consultations.autochtones@canada.ca. Vienna Watt	
A12	REALTORS® Association of Hamilton-Burlington	Caitlin Laskowski Marketing and Events Coordinator caitlinl@rahb.ca REALTORS® Association of Hamilton-Burlington 505 York Blvd., Hamilton, ON. L8R 3K4 Tel: 905.529.8101 x294 Cell: 905.650.2972 caitlinl@rahb.ca www.rahb.ca	<u>Email received by the City on April 14, 2023</u> This email account is no longer being monitored. Please contact Crystal Henderson, Manager of Communications and External Relations at crystalh@rahb.ca. Thank you! Caitlin Laskowski	<Forwarded PIC 2 notice to Crystal - see below and updated contact List accordingly> From: Shelley Kuan Sent: Monday, April 24, 2023 4:21 PM To: crystalh@rahb.ca Cc: Ehrenberg, Udo <Udo.Ehrenberg@hamilton.ca>; Novac, Florentin <Florentin.Novac@hamilton.ca> Subject: FW: Hamilton Main and Whitney (HD17A) WPS Class EA-Notice of Study Area Expansion and Public Information Centre No 2 Good afternoon Crystal, The City of Hamilton (Hamilton Water) is proceeding with a Municipal Class Environmental Assessment (Class EA) to identify the preferred location for the replacement of the existing HD17A Water Pumping Station (WPS), currently located in Pressure District 17 (PD17) close to the intersection of Main Street West and Whitney Avenue. Arcadis IBI Group is the Consultant assisting the City of Hamilton with this project. I am Shelley Kuan, the Consultant Project Manager. The City's Project Manager is Florentin Novac. City of Hamilton is inviting you to participate in Public Information Centre No.2. This event will be held virtually on the City's webpage at: www.hamilton.ca/mainwhitneystationea and will be available from April 28, 2023 until May 19, 2023. It may be important for you to know about the Study Area Expansion. Project details and a revised key map showing the study area are provided in the attached notice.

#	Agency/ Public	Contact Information	Comment	Response/Action
				If you have any information that may assist us in the completion of the project or would like to discuss the project, please contact me or Florentin Novac at (905) 546-2424 ext. 2823 or by email at Florentin.Novac@hamilton.ca. Thank you very much, Shelley Kuan
A13	Hamilton Community Foundation	Stephenson Sandra Chair information@hcf.on.ca 605-523-5600	<u>Email received by the City on April 14, 2023</u> Thank you for your email. As of today, May 20 2022 I have officially retired from Hamilton Community Foundation. Please contact the office at 905-523-5600 and someone will help direct you. Thank you. Morag Halsey	<Arcadis/IBI called 605-523-5600 around 11:30 am on April 25, 2023. Left voice message to call back> Resent email information@hcf.on.ca on April 25, 2023. Stephenson Sandra Chair was in the City’s updated Contact List (provided by the City on April 14, 2023) <No further action required> From: Shelley Kuan Sent: Tuesday, April 25, 2023 11:40 AM To: information@hcf.on.ca Cc: Novac, Florentin <Florentin.Novac@hamilton.ca>; Ehrenberg, Udo <Udo.Ehrenberg@hamilton.ca> Subject: RE: Hamilton Main and Whitney (HD17A) WPS Class EA-Notice of Study Area Expansion and Public Information Centre No 2 Good morning: The City of Hamilton (Hamilton Water) is proceeding with a Municipal Class Environmental Assessment (Class EA) to identify the preferred location for the replacement of the existing HD17A Water Pumping Station (WPS), currently located in Pressure District 17 (PD17) close to the intersection of Main Street West and Whitney Avenue. Arcadis IBI Group is the Consultant assisting the City of Hamilton with this project. I am Shelley Kuan, the Consultant Project Manager. The City’s Project Manager is Florentin Novac. City of Hamilton is inviting you to participate in Public Information Centre No.2. This event will be held virtually on the City’s webpage at: www.hamilton.ca/mainwhitneystationea and will be available from April 28, 2023 until May 19, 2023. It may be important for you to know about the Study Area Expansion. Project details and a revised key map showing the study area are provided in the attached notice. If you have any information that may assist us in the completion of the project or would like to discuss the project, please contact me or Florentin Novac at (905) 546-2424 ext. 2823 or by email at Florentin.Novac@hamilton.ca. Thank you very much, Shelley Kuan

#	Agency/ Public	Contact Information	Comment	Response/Action
A14	Ministry of Transportati on Corridor Manageme nt section	Rob Major Corridor Management Officer (West) Highway Corridor Management Section Central Operations Ministry of Transportation 159 Sir William Hearst Avenue, 7 th Floor, Toronto, ON. M3M 0B7 Telephone: 416.508.8745 Email: Robert.major@ontario.ca	<u>Email received by the City on April 14, 2023</u> Hello Sharon, Further to your request below, I am the new Corridor Management Officer (encroachments) for Hamilton and Niagara. Thanks. Rob Major	<u><Email forwarded by Arcadis/IBI on April 25, 2023></u> Good morning Robert, The City of Hamilton (Hamilton Water) is proceeding with a Municipal Class Environmental Assessment (Class EA) to identify the preferred location for the replacement of the existing HD17A Water Pumping Station (WPS), currently located in Pressure District 17 (PD17) close to the intersection of Main Street West and Whitney Avenue. Arcadis IBI Group is the Consultant assisting the City of Hamilton with this project. I am Shelley Kuan, the Consultant Project Manager. The City's Project Manager is Florentin Novac. City of Hamilton is inviting you to participate in Public Information Centre No.2. This event will be held virtually on the City's webpage at: www.hamilton.ca/mainwhitneystationea and will be available from April 28, 2023 until May 19, 2023. It may be important for you to know about the Study Area Expansion. Project details and a revised key map showing the study area are provided in the attached notice. If you have any information that may assist us in the completion of the project or would like to discuss the project, please contact me or Florentin Novac at (905) 546-2424 ext. 2823 or by email at Florentin.Novac@hamilton.ca . Thank you very much, Shelley Kuan P. Eng. Good morning Mark, Thank you for your information. We will update our project contact list accordingly. The Notice of Study Area Expansion and Public Information Centre No 2 has been sent to the new Corridor Management Officer (Mr. Robert Major) for Hamilton and Niagara. Thank you. Shelley Kuan
A15	HydroOne	Hydro One Networks Inc. 483 Bay Street 8th Floor South Tower Toronto, Ontario M5G 2P5 HydroOne.com SUN Hongxia < Susan.SUN@HydroOne.com > On Behalf Of SECONDARY LAND USE Department	<u>Email received by the City on May 15, 2023</u> Please see the attached for Hydro One's Response. Hydro One Networks Inc SecondaryLandUse@HydroOne.com Your message is ready to be sent with the following file or link attachments: 20230515-NoticeOfPIC1-Main and Whitney Water Pumping Station	<u>Email response sent by Arcadis/IBI on May 19, 2023</u> Good afternoon: Thank you for your interest to the project. Should the study area expand further or the preferred and recommended site (Site 6) change, HydroOne will be notified. We will continue to send future communications to Secondarylanduse@hydroone.com .

#	Agency/ Public	Contact Information	Comment	Response/Action
			 20230515-NoticeOf PIC1-Main and Whit <See Appendix K- A15 for the response letter from Hydro One (dated May 15, 2023)>	Please feel free to contact us if you have any questions. Please feel free to contact us if you have any questions. Thank you. Shelley Kuan <The Secondary Land Use group is aware that Site 6 is the most preferrable and recommended alternative from your PIC No.2 presentation. We confirm there are no existing Hydro One Transmission assets in the subject area>.
Public				
B1	Public		<u>Voicemail received by the City on May 11, 2022 at 11:55 PM</u> Additional details obtained during the return phone call on May 13, 2022. <u>Return phone call placed on May 13, 2022 at 10:15 AM:</u> The resident is interested in expanding the scope of this Class EA to include storm sewers along Main St. W., which were decommissioned some time in the past.	<u>Response provided by the City PM, Florentin Novac (FN), during the return phone call on May 13, 2022 at 10:15 AM</u> The City informed that our team and this Class EA is focused on the drinking water system mandate and guided the resident to the general City number 905-546-2489 to connect with the appropriate point of contact regarding storm sewers. The resident has indicated that they tried to contact the City through the general number (905-546-2489) in the past but has never received a call back.
B2	Public		<u>Voicemail received by the City on May 11, 2022 at 11:52 PM</u> Voicemail received from Stoney Creek resident looking to divide owned land in half for ease of maintenance. <u>Return phone call placed on May 13, 2022 at 1:55 PM:</u> The resident owns about 90 acres of land and would like to divide this piece of land in halves and sell one half.	<u>Response provided by the City PM, Florentin Novac (FN), during the return phone call on May 13, 2022 at 1:55 PM:</u> The City referred the resident to the City's Committee of Adjustment (905-546-2424 x 4221) with any questions regarding potential severance of his land.
B3	Public		<u>2) Voicemail received by the City on May 11, 2022 at 11:53 PM</u> The details the resident was looking for: a) What is the meaning of "enhance water system security and reliability", as noted in published Notice of Commencement and PIC #1? b) Which are the potential locations for the new Water Pumping Station (WPS)? c) Where is the existing HD17A WPS located? ----- <u>2) Phone call placed on May 12, 2022 at 3:15 PM:</u> The resident was concerned on the development in PD17 as it specifically relates to Ancaster rural area on Filman Rd. which currently has no water servicing.	<u>Response provided by the City PM, Florentin Novac (FN), during the return phone call on May 12, 2022 at 3:15 PM:</u> a) The City referred the resident to the additional details available on the City's webpage for this Class EA (www.hamilton.ca/mainwhitneystationea) and explained her that this undertaking is mainly triggered by the old age of the existing station and to increase the fire flow thus improving the level of service for this particular pressure district (PD17). In addition, the City explained the meaning of "enhance water system security and reliability". These include: ○ The current station is approaching the end of its useful life and requires more frequent maintenance. A new pumping station with modern equipment will enhance the reliability with less frequent maintenance. ○ Ease of access for staff and vehicles in the current location is challenging with significant traffic control. A new pumping station on a dedicated parcel of land will enhance safety for workers and access during winter conditions.

#	Agency/ Public	Contact Information	Comment	Response/Action
			----- 3) Voicemail received by the City on April 18th 2023: Question about why t^{he} study area was expanded. ----- 4) Voicemail received by the City on April 25, 2023: 1) Inquiry about what led to the expansion of the study area? 2) Does this mean that the district to be serviced by this pumping station is projected to be altered? What are the consequences of a bigger pumping station? ----- 5) Voicemail received by the City on April 27, 2023: Question about the online PIC on April 28, what time it starts? Concern that questions will not be answered. What is the reason for the study area expansion? What is the impact to the people in the initial area? Also left a voicemail with Udo Ehrenberg. Please send me an email at [REDACTED] ----- 6) Voicemail received by the City on May 8, 2023: Missed call from Udo on May 5, 2023 – parts of the voicemail were unclear but viewed the project for further details. Some additional questions: 1) What type of water is the pumping station sending/receiving, is it drinking water? stormwater/sanitary?	○ Subject to the Class EA and detailed design, provisions for standby power and pumps will be included at a new pumping station to provide reliable water supply to PD17 system. ○ The current standards for new water pumping stations will be reviewed. These include building a security and camera system. Additional security requirements may be established at the detailed design stage and in accordance with the City of Hamilton Water Station Security and SCADA Standards. b) The alternative locations for the new Water Pumping Station (WPS) are currently unknown and it is the purpose of this Class EA, specifically of Phase 2, to identify these alternative locations and come up with a recommended alternative location. c) The existing HD17A WPS was constructed below grade and is located in the grassy boulevard close to the Main St. W/Whitney Ave. intersection. The City pointed out that the rural area of Ancaster along Filman Rd. is located in a different pressure district (PD18) and will not be impacted by the relocation of the HD17A WPS. The existing HD018 WPS, the station servicing PD18, is subject to current and future upgrades to improve the level of service and facilitate the development in PD18. <u>Udo Ehrenberg of the City returned [REDACTED] the voicemails (items 3 to 5) via voicemail on May 5, 2023</u> A – the study area expanded to capture extra candidate locations for to be considered in the EA that were outside the initial study area. B – The customer service area will not necessarily change, however, if there are synergies in expanding the customer service area, there may be an expansion. This will be assessed once the preferred site is identified. The current most preferred and recommended site as of today will not cause the customer service area to change. <u>Florentin Novac of the City email response to [REDACTED] the voicemail (item 6) on May 25, 2023</u> Good morning, [REDACTED]: This is brief reply to confirm the receipt of your email and to thank you for reaching out to us! With the support from our Consultant, IBI Group, we will

#	Agency/ Public	Contact Information	Comment	Response/Action
			2) Is the area to be served and is the built structure for the pumping station the same? i.e. New developments on Main Street W / high-rise buildings, they will make a difference in the volumes of the water pumping. This needs to be considered. ----- <u>Email received by the City on May 25, 2023</u> Hello, Valentin. It is unfortunate that we have not been able to make contact by telephone. I did try to reach you again this morning but decided to write rather than record a message. Although I did have a recorded message from Udo Ehrenberg in response to a phone message I sent to him, due to the poor connection I could not understand all of it. Perhaps you could let me know by email the answers to the following: Why was the area included expanded? What are the "opportunities" the selected option (#6) is able to address better than the other options? Have the new structures to house students on Main Street West and the one on the church site going to be served by the chosen option? Are any new construction projects to the west along Wilson Street and Lower Lions Club Road in any way being factored into capacity demand estimates? I think it is unfortunate that in person PICs are not being held. The information offered on the internet site is limited and may be inaccessible to many people who live in the affected area. Thank you for your past efforts to contact me on these and other issues. ██████████	provide answers to your questions by email, if not tomorrow, then early next week. Since I do not leave in the area, I am not familiar with the new structures to house students on Main Street West and the one on the church site. It would be helpful if you could point out the approximate location of student housing and of the church site. This way we could better answer the third question of your message. Thank you very much, Florentin Novac ----- <u>Email response sent by Arcadis/IBI on May 26, 2023</u> Good afternoon, ██████████ Thank you for your interest in the project. Please see our responses to your enquiries below: • Why was the area included expanded? As mentioned in the voicemail from Udo Ehrenberg from the City on May 5, 2023, the study area has been expanded to capture additional alternative locations to be considered in the Class EA process that were outside the initial Study Area. The servicing area for PD17 remains unchanged as shown in PIC 1 (Initial Study Area) and PIC 2 (Expanded Study Area). The projected capacity for the new pumping station will not be altered due to the Expanded Study Area. • What are the "opportunities" the selected option (#6) is able to address better than the other options? As presented in the online PIC 2, Site 6 is the most preferable and recommended alternative because it offers the most cost effective and technically sound option, while having the lowest potential for environmental impact compared to the other alternative sites. • Have the new structures to house students on Main Street West and the one on the church site going to be served by the chosen option? As requested by Florentin's email below, could you please clarify and point out the locations of the student housing and the church site that you are referring to? • Are any new construction projects to the west along Wilson Street and Lower Lions Club Road in any way being factored into capacity demand estimates? The capacity of the new pumping station will account for future development in PD17. Please feel free to contact us if you have any questions.

#	Agency/ Public	Contact Information	Comment	Response/Action
				Thank you. Shelley Kuan ----- Arcadis/IBI made a follow-up phone call with [REDACTED] on June 6, 2023 from 12:57 pm to 1:08 pm. Discussed and responded her comments on the phone. ----- <u>Email response sent by Arcadis/IBI on June 7 2023</u> Good morning [REDACTED] It was nice talking with you on the phone yesterday. Thank you for the clarifications on the locations of the student housing and the church site. I've learned that these sites are located along Main Street West and Longwood Road South/Dalewood Avenue. As mentioned, these sites would be outside PD17 and the water demand for these sites would not be included in the design capacity of the new pumping station; and the purpose of this study is to determine the preferred location for a new water pumping station for PD17. Please feel free to contact us if you would like to discuss the project in any further details. Thank you. Shelley Kuan
B4	Public	[REDACTED]	<u>Voicemail received by the City on November 11, 2022 10:41 AM</u> The resident asked whether the relocation of the HD17A WPS will boost the water pressures in the area where his home is located since currently the water pressure in his home is very low.	Response provided by the City PM, Florentin Novac, via resident's voice mail, during the return phone call on November 15, 2022 at 2:46 PM The resident's home address indicates that his home is located in Pressure District 11 (PD11); as such, it is highly unlikely that the water pressures in this Pressure District will be affected by the location and the hydraulic performance of the existing and future HD17A Water Pumping Stations, which services a different Pressure District (PD17). To provide a low water pressure complaint/notification to the City, the resident was referred to the Customer Service's phone number 905-546-2489 or , if contact by email is preferred, to AskCity@hamilton.ca.
B5	Public	[REDACTED]	<u>City received PIC 2 Comment Sheet via mail (on May 8, 2023)</u>  20230508111512.pdf <See Appendix K- B5 for the comment sheet>	<u>Response letter (dated June 7, 2023) provided by the City via mail on June 8, 2023</u> Dear [REDACTED] Thank you for your interest in this project. The purpose of this letter is to response to your comments for Public Information Centre (PIC) No. 2 we received on May 8, 2023 via mail. The Evaluation Criteria was developed to assess the alternative site locations and associated advantages and disadvantages of each potential site based on existing natural environment, sociocultural environment, technical considerations, cost considerations and property acquisition considerations.

#	Agency/ Public	Contact Information	Comment	Response/Action
				Please note that the areas near the existing HD17A WPS (or near PD17), including the area within PD17, have been reviewed. Three sites (Sites 8, 9 and 10) within PD17 were included in the long-listed of 21 alternatives and two sites (Sites 8 and 9) have been short-listed for detailed evaluations. The open area within PD17 and along Main Street West and/or Lower Lion Club Road were also reviewed. These lands were identified as Significant Woodlands and/or Escarpment Protection Area (Natural Heritage system (NHS) Area), which are to be avoided as suggested in the Niagara Escarpment Plan (2017). Therefore, no alternative sites west of Site 9 were considered for further evaluation. We appreciate your feedback and your comments will be taken into consideration. Your contact information will be added to the Study mailing list. If you would like to discuss the project in any further details, please contact me at Florentin.Novac@hamilton.ca or by phone at (905) 546-2424 ext. 2823. Sincerely, Florentin Novac   Hamilton HD17A WPS ClassEA-Notice of Study Area Expansion and PIC No 2-Letter Reponse_V2 <See Appendix K-B5 the comment response letter provided by the City, dated June 7, 2023>
B6	Public	 	<u>City received PIC 2 comment sheet via email on May 9, 2023.</u> Good Day, Please find the attached PDF.  main-whitney-ea-pic2-comment.pdf <See Appendix K- B6 for the comment sheet> <This person would like to see them ensure a minimal environmental impact.>	<u>Udo of the City provided email response to John on May 9, 2023</u> This is to confirm receipt of the comment sheet. Thank you for your submission. Udo
B7	Public		1st voicemail – Resident’s area is included in the Initial Study Area, what does the Expanded Study Area look like? 2nd voicemail – visited the City's project website and saw the expanded study area – no need for call back.	This resident visited the City’s project website and got the information on the Expanded Study Area. <No further response required>